

C-Tec ProBleach

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: C-tec ProBleach

OTHER NAMES: Bleach

RECOMMENDED USE: Sanitising Agent, Water Treatment, Bleach

SUPPLIER NAME: 2CARE PRODUCTS
ADDRESS: 9 Donnor Place

Mt Wellington AUCKLAND

Phone: 0800 753 753 Fax: (09) 574 5999

Emergency Telephone: 0800 764 766 NEW ZEALAND NATIONAL POISON CENTRE

2. HAZARD(S) IDENTIFICATION

GLOBALLY HARMONISED SYSTEM

HAZARD CLASSIFICATION HAZARDOUS according to the criteria of the Globally Harmonised System of Classification and

Labelling of Chemicals (GHS).

HAZARD CATEGORIES Skin Corrosion/Irritation Category 2

Serious Eye Damage/Irritation Category 1
Aquatic Toxicity (Acute) Category 3

PICTOGRAMS



SIGNAL WORD DANGER

Issue Date: 14th September 2017

HAZARD STATEMENTS H315 – Causes skin irritation.

H318 – Causes serious eye damage.

 $\ensuremath{\mathsf{H412}}\xspace$ – Harmful to a quatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

PREVENTION P102 - Keep out of reach of children.

P103 - Read label before use.

P104 - Read Safety Data Sheet before use. P264 – Wash hands thoroughly after handling. P273 – Avoid release to the environment.

P280 – Wear protective gloves, clothing and eye/face protection.

RESPONSE P101 – If medical advice is needed, have product container or label at hand.

P310 – Immediately call **NZ POISON CENTRE** or doctor/physician.

P321 - WASH affected areas well with water.

P362 – Take off contaminated clothing and wash before re-use. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously for several minutes. REMOVE contact lenses if

present and safe to do so. Continue rinsing.

P332 + P313 – If skin irritation occurs. Get medical advice/attention.

STORAGE

DISPOSAL P501 - Do not let this product enter the environment. Do not dispose of in waterways or sewers.

Dispose of this material and its container as hazardous waste, via a licensed facility. See local council

for disposal/recycling information.

ENVIRONMENTAL PROTECTION AUTHORITY (NEW ZEALAND)

HSNO CLASSIFICATIONS Toxicity Hazards

> 6.3A Substances that are irritating to the skin. 8.3A Substances that are corrosive to ocular tissue.

Environmental Hazards

Substances that are harmful in the aquatic environment.

The information contained in this SDS is specific to the product when handled and used neat. This product when diluted may not require the same control measures as the neat product. Check with your technical representative if in doubt.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

EYE CONTACT

Chemical Entity	Formula	CAS Number	Proportion
Sodium Hypochlorite	NaOCl	7681-52-9	<5%
Water	H ₂ O	7732-18-5	Balance

4. FIRST AID MEASURES

INGESTION DO NOT induce vomiting. If person is conscious give water to rinse out their mouth, then slowly

> provide as much water as the person can comfortably drink. Transport person to nearest hospital or doctor without delay. If person has lost consciousness DIAL 111 and request an ambulance.

IMMEDIATELY flush eyes with copious amounts of water for at least 15 minutes while holding eyelids open. Ensure complete irrigation of the eyes by lifting the upper and lower lids periodically. Removal of contact lenses should only be done by skilled personnel. Transport person to nearest

hospital or doctor without delay.

Issue Date: 14th September 2017 Printed: 9 January 2018 Page 2 of 8

SKIN CONTACT REMOVE contaminated clothing. IMMEDIATELY flush the contaminated skin thoroughly with water

for at least 15 minutes preferably under a safety shower. Transport to hospital or doctor.

INHALATION REMOVE victim from source of exposure to fresh air. Allow patient to assume most comfortable

> position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing with a demand valve resuscitator, bag-valve mask device, or pocket mask. Perform CPR if

necessary.

SAFETY MEASURES Potable water should be available to rinse eyes. Provide eye baths and safety showers. Treat

symptomatically.

PHYSICIAN NOTES Treat symptomatically based on judgement of doctor and individual reactions of patient.

5. FIRE FIGHTING METHODS

GENERAL MEASURES Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate

ignition sources. Move fire exposed containers from fire area if it can be done without risk.

FLAMMABILITY CONDITIONS

Product is not combustible.

EXTINGUISHING MEDIA Use extinguishing media appropriate for surrounding fire/area.

HAZARDOUS PRODUCTS OF

COMBUSTION

The product is non-combustible; however, it may emit poisonous and/or corrosive fumes. The

packaging material may also burn to emit noxious fumes.

SPECIAL FIRE FIGHTING

INSTRUCTIONS

DO NOT allow spillage or firefighting water to reach waterways, drains or sewers. Use fire-fighting

procedures suitable for surrounding area.

PERSONAL PROTECTIVE

EQUIPMENT

Wear positive pressure self-contained breathing apparatus (SCBA) and protective firefighting

clothing (including Helmet, Coat, Trousers, Boots and Gloves or chemical splash suit).

HAZCHEM CODE No information available.

6. SPILLAGE/ACCIDENTAL RELEASE MEASURES

GENERAL RESPONSE

PROCEDURE

Clear area of all unprotected personnel. Allow only trained personnel wearing appropriate protective equipment to be involved in spill response. Contain spill, avoid further accidents, clean up immediately. Increase ventilation. In the case of large spills alert fire brigade and notify them of

location and nature of spill.

CLEAN UP PROCEDURES Mechanically collect as much of the spill as possible. Absorb with sand, earth or clay. Transfer to

> suitable, labelled containers and dispose of promptly as hazardous waste. Spill on areas other than pavement (e.g. dirt and sand) may be handled by removing the affected soils and placing in

approved containers.

CONTAINMENT Stop leak if safe to do so. Contain spill immediately.

DECONTAMINATION Wash area down with water and collect washings for disposal.

ENVIRONMENTAL PRECAUTIONARY

MEASURES

Prevent run off into drains and waterways. If contamination of sewers or waterways has occurred

advise the Environmental Protection Authority and/or your local Waste Authority.

EVACUATION CRITERIA Evacuate all non-essential personnel.

Issue Date: 14th September 2017 Printed: 9 January 2018 Page 3 of 8

302258 - C-TEC PROBLEACH - 140917

PERSONAL PRECAUTIONARY MEASURES Personnel involved in the clean-up should wear full protective clothing as listed in section 8.

7. HANDLING AND STORAGE

HANDLING Use in a well-ventilated area. Ensure an eye bath is available and ready for use. Avoid contact with

eyes, skin and clothing. Do not inhale product vapours. Do not smoke, eat or drink when handling product. Always remove contaminated clothing and wash hands before eating, drinking, smoking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-

use. Prevent fume concentration in hollows and sumps.

STORAGE Store upright in the original container in a cool, dry, well-ventilated protected area out of direct

sunlight and away from foodstuffs. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Do not combine part containers of the same product. A water supply or source must be provided in the place of storage. Emergency eye-washes must be

available.

CONTAINER Store in original packaging as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

GENERAL Sodium Hypochlorite [CAS 7681-52-9].

EXPOSURE LIMITS TWA-Ceil. 1ppm (as Cl₂).from ACGIH

BIOLOGICAL LIMITS No information available on biological limit values for this product.

ENGINEERING MEASURES A system of local and/or general exhaust is recommended to keep employee exposures as low as

possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Adequate

ventilation should be provided so that exposure limits are not exceeded.

PERSONAL PROTECTIVE

EQUIPMENT

RESPIRATOR If determined an inhalation risk is present. Use a P2 grade valved disposable

mask which I suitable for vapour protection and conforms to the requirements of

AS1715/1716).

EYES Use splash proof safety goggles, and/or if necessary an appropriate full face

shield that conform to AS1336/1337.

HANDS Any Gloves approved for chemical hazards that conform to AS2161.

CLOTHING Trousers, Long sleeved shirt and closed shoes.

9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE Liquid

APPEARANCE Free flowing

COLOUR Yellow/green

ODOUR Chlorine

pH 11.0 – 12.0

DENSITY 1.065g/mL @ 20°C.

Issue Date: 14th September 2017 Printed: 9 January 2018 Page 4 of 8
302258 - C-TEC PROBLEACH - 140917

VAPOUR PRESSURE

VAPOUR DENSITY

No Data Available.

BOILING POINT

No Data Available.

FREEZING POINT

No Data Available.

SOLUBILITY

Complete in water.

10. STABILITY AND REACTIVITY

GENERAL INFORMATION Stable under normal conditions of use.

CHEMICAL STABILITY Unstable in the presence of incompatible materials may liberate poisonous fumes. The substance is

stable under normal environmental and foreseeable conditions during storage and handling.

CONDITIONS TO AVOID Avoid contact with foodstuffs. Do not combine part drums of the same product. Use in a well-

ventilated area.

MATERIALS TO AVOID Acids, reducing agents, Ammonia based cleaners.

HAZARDOUS DECOMPOSITION PRODUCTS

11.

Excess heat or reaction with acids may produce Chloramines which are toxic and have explosive potential.

TOXICOLOGICAL INFORMATION

ORAL $LD_{50} - > 237 mg/kg$ (Rat).

Ingestion can cause burns to the digestive tract. Symptoms may include:

- 1. Pain and inflammation of the mouth, pharynx, oesophagus, and stomach.
- 2. Erosion of mucous membranes (chiefly the stomach), nausea, vomiting, choking, coughing, haemorrhage.
- 3. Circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations.
- 4. Confusion, delirium, coma.
- 5. Oedema of the pharynx, glottis, larynx with stridor and obstruction.
- 6. Perforation of the oesophagus, or stomach, with mediastinitis or peritonitis.

DERMAL $LD_{50} - > 10000 \text{mg/kg}$ (Rabbit).

INHALATION No Information available.

EYE LD50 – 10mg/kg (Rabbit). This material can cause chemical burns, corneal oedema and conjunctivital

haemorrhage to the eye. It's vapour may be extremely irritating.

CARCINOGENICITY No information available.

MUTAGENICITY No information available.

REPRODUCTIVE No information available.

TARGET ORGAN No information available.

LONG TERM Asthma-like symptoms may continue for months or even years after exposure ceases. This may be

due to a non-allergenic condition known as reactive airways dysfunction syndrome which can occur following exposure to high levels of highly irritating compounds. Key criteria for the diagnosis include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant

Issue Date: 14th September 2017 Printed: 9 January 2018 Page 5 of 8

302258 - C-TEC PROBLEACH - 140917

12. **ECOLOGICAL INFORMATION**

ECOTOXICITY This material is **ECOTOXIC** in the aquatic environment.

No specific information available.

PERSISTENCE / **DEGRADABILITY** No information available.

No information available. **MOBILITY**

ENVIRONMENTAL FATE Do not allow drainage into sewer, streams or storm water systems.

BIOACCUMULATION

POTENTIAL

No information available.

ENVIRONMENTAL IMPACT No information available.

13. **DISPOSAL CONSIDERATIONS**

GENERAL INFORMATION Dispose of in accordance with all local, regional and national regulations. All empty packaging should

be disposed of in accordance with local, regional, and national regulations or recycled/reconditioned

at an approved facility.

SPECIAL PRECAUTIONS

SPECIAL PROVISIONS

FOR LANDFILL

Containers should be rinsed then disposed of in compliance with any requirements of the Resource

Management Act for which approval should be sought from the Regional Authority.

14. TRANSPORT INFORMATION

LAND TRANSPORT NEW ZEALAND (NZS5433)

Not classified as a Dangerous Good by NZS5433:2012 for transport by Road and Rail

PROPER SHIPPING NAME NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS. No Data Available **UN NUMBER** CLASS No Data Available SUBSIDIARY RISK No Data Available PACKAGING GROUP No Data Available No Data Available HA7CHFM

No Data Available

SEA TRANSPORT (IMDG)

Not classified as a Dangerous Good by the International Maritime Dangerous Good Code (IMDG) for transport by sea.

PROPER SHIPPING NAME NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

No Data Available **UN NUMBER CLASS** No Data Available No Data Available SUBSIDIARY RISK No Data Available PACKAGING GROUP HAZCHEM No Data Available **EMS** No Data Available

MARINE POLLUTANT Not Listed

Issue Date: 14th September 2017

No Data Available SPECIAL PROVISIONS

AIR TRANSPORT (IATA)

Not classified as a Dangerous Good by the international Air Transport Association (IATA) for transport by air

PROPER SHIPPING NAME NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN NUMBER
CLASS
No Data Available
SUBSIDIARY RISK
PACKAGING GROUP
HAZCHEM
No Data Available
No Data Available
No Data Available
PROUSIONS
No Data Available
No Data Available

15. REGULATORY INFORMATION

ENVIRONMENTAL PROTECTION AUTHORITY (NEW ZEALAND)

Hazardous Substances & New Organisms Act 1996

APPROVAL CODE HSR004691
HSNO CLASSIFICATIONS 6.3A,8.3A, 9.1C
APPROVED HANDLER Not Required
NZIOC Listed

16. OTHER INFORMATION

Issue Date: 14th September 2017

REVISION NUMBER 2 – New Issue
ISSUE DATE 14th September 2017

In any event the review and if necessary re-issue of an SDS shall be no longer than 5 years after the last date of issue

KEY/LEGEND AS1336/1337 Industrial Eye Protection – Metric Units (Standards Australia).

AS1715/1716 Respiratory Protection Devices – Metric Units (Standards Australia).

AS2161 Industrial Safety Gloves and Mittens (Standards Australia).

CAS Chemical Abstracts Service.

EC₅₀ Concentration which induces a response halfway between the baseline and

maximum.

EMS IMDG Emergency Schedule.
EPG Emergency Procedures Guide.
GHS Globally Harmonised System.

HSNO Hazardous Substances and New Organisms.
IMDG International Maritime Dangerous Goods.

LC₅₀ Concentration required to kill half the members of a tested population after a

specified duration.

LD₅₀ Dosage required to kill half the members of a tested population after a specified

duration.

NOEC No Observed Effect Concentration
NZIOC New Zealand Inventory of Chemicals

SDS Safety Data Sheet UN No. UN Nations Number

WES-Ceiling Concentration that should not be exceeded at any time during any part of the

working day

REFERENCES ACGIH - American Conference of Governmental Industrial Hygienists

Workplace Exposure Standards-and Biological Exposure Indices – WorkSafe New Zealand

TOXNET - ChemIDPlus Database

IMDG Appendix B List of Marine Pollutants IMDG Emergency Fire and Spill Codes

UN Recommendations on the Transport of Dangerous Goods Volume 1 (17th Edition) Part 3

This SDS has been prepared from current technical data and summarises at the date of issue our best knowledge of the health and safety information of the product, and in particular how to safely handle and use the product in the work place. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact the company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

This SDS may only be reproduced in full. Summaries or excerpts from this SDS may not contain all the relevant information and thus are not permitted.

Printed: 9 January 2018 302258 - C-TEC PROBLEACH - 140917