

SAFETY DATA SHEET



CARE4 Window Cleaner

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CARE4 Window Cleaner

OTHER NAMES: CARE4 Window Cleaner
RECOMMENDED USE: Window Cleaner

SUPPLIER NAME: 2CARE PRODUCTS
ADDRESS: 9 Donnor Place
Mt Wellington
AUCKLAND

Phone: 0800 753 753
Fax: (09) 574 5999

Emergency Telephone: 0800 764 766 NEW ZEALAND NATIONAL POISON CENTRE

2. HAZARD(S) IDENTIFICATION

GLOBALLY HARMONISED SYSTEM

HAZARD CLASSIFICATION NON-HAZARDOUS according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS).

HAZARD CATEGORIES Skin Corrosion/Irritation Category 2
Serious Eye Damage/Irritation Category 2A

PICTOGRAMS



SIGNAL WORD **WARNING**

HAZARD STATEMENTS H315 – Cause skin irritation.
H319 – Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

PREVENTION P103 – Read label before use.
P104 – Read Safety Data Sheet before use.
P264 – Wash hands thoroughly after handling.
P280 – Wear protective gloves, clothing and eye/face protection.

SAFETY DATA SHEET

RESPONSE P321 – **WASH** affected areas well with water.
P362 – Take of contaminated clothing and wash before reuse.
P302 + P352 – **IF ON SKIN:** Wash with plenty of soap and water.
P305 + P351 + P338 – **IF IN EYES:** Rinse cautiously for several minutes. **REMOVE** contact lenses if present and safe to do so. Continue rinsing.
P332 + P313 – **IF SKIN IRRITATION** occurs: Get medical advice/attention.
P337 + P313 – **IF EYE IRRITATION** persists: Get medical advice/attention.

STORAGE

DISPOSAL P501 – Do not let this product enter the environment. Do not dispose of in waterways or sewers. Dispose of this material and its container as hazardous waste, via a licensed facility. See local council for disposal/recycling information.

ENVIRONMENTAL PROTECTION AUTHORITY (NEW ZEALAND)

HSNO CLASSIFICATIONS Toxicity Hazards
6.3A Substances that are irritating to the skin.
6.4A Substances that are irritating to the eye.

The information contained in this SDS is specific to the product when handled and used neat. This product when diluted may not require the same control measures as the neat product. Check with your technical representative if in doubt.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
2-Butoxy Ethanol	C ₆ H ₁₄ O ₂	111-76-2	< 10%
Ammonium Hydroxide	NH ₄ OH	1336-21-6	< 1%
Non-Hazardous ingredients			< 1%
Water	H ₂ O	7732-18-5	Balance

4. FIRST AID MEASURES

INGESTION **DO NOT** induce vomiting. Give water to drink immediately to dilute. Contact Poisons Centre.

EYE CONTACT **IMMEDIATELY** flush eyes with copious amounts of water for at least 15 minutes while holding eyelids open. Take care not to rinse contaminated water into the non-affected eye.

SKIN CONTACT **REMOVE** contaminated clothing. **FLUSH** the contaminated skin thoroughly with water for at least 5 minutes.

INHALATION **REMOVE** victim from source of exposure to fresh air. Keep at rest until fully recovered.

SAFETY MEASURES Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers. Treat symptomatically.

PHYSICIAN NOTES Treat symptomatically based on judgement of doctor and individual reactions of patient.

5. FIRE FIGHTING METHODS

GENERAL MEASURES Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk.

SAFETY DATA SHEET

FLAMMABILITY CONDITIONS	Product is not combustible.
EXTINGUISHING MEDIA	Use extinguishing media appropriate for surrounding fire.
HAZARDOUS PRODUCTS OF COMBUSTION	The product is non-combustible; however, the packaging material may burn to emit noxious fumes.
SPECIAL FIRE FIGHTING INSTRUCTIONS	DO NOT allow firefighting water to reach waterways, drains or sewers.
PERSONAL PROTECTIVE EQUIPMENT	Wear positive pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (including Helmet, Coat, Trousers, Boots and Gloves) or chemical splash suit.
HAZCHEM CODE	No information available.

6. SPILLAGE/ACCIDENTAL RELEASE MEASURES

GENERAL RESPONSE PROCEDURE	Clear area of all unprotected personnel. Allow only trained personnel wearing appropriate protective equipment to be involved in spill response. Contain spill, avoid accidents, clean up immediately. Increase ventilation.
CLEAN UP PROCEDURES	Mechanically collect as much of the spill as possible. Absorb with sand, earth or clay. Transfer to suitable, labelled containers and dispose of promptly as hazardous waste. Spill on areas other than pavement (e.g. dirt and sand) may be handled by removing the affected soils and placing in approved containers.
CONTAINMENT	Stop leak if safe to do so. Contain spill immediately.
DECONTAMINATION	Wash down spill area with water.
ENVIRONMENTAL PRECAUTIONARY MEASURES	Prevent run off into drains and waterways. If contamination of sewers or waterways has occurred advise the Environmental Protection Authority and/or your local Waste Authority.
EVACUATION CRITERIA	Evacuate all non-essential personnel.
PERSONAL PRECAUTIONARY MEASURES	Personnel involved in the clean-up should wear full protective clothing as listed in section 8.

7. HANDLING AND STORAGE

HANDLING	Ensure an eye bath is available and ready for use. Observe good personal hygiene practices and recommended procedures. Avoid contact with eyes and skin. Do not smoke, eat or drink when handling product. Always remove contaminated clothing and wash hands before eating, drinking, smoking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.
STORAGE	Store upright in the original container in a cool, dry, well-ventilated protected area out of direct sunlight and away from incompatible materials and foodstuffs. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Do not combine part containers of the same product. Emergency showers and eye-washes must be available.
CONTAINER	Store in original packaging as approved by manufacturer.

SAFETY DATA SHEET

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

GENERAL	Ammonium Hydroxide [CAS 1336-21-6]. 2-Butoxy Ethanol [CAS 111-76-2]	
EXPOSURE LIMITS	Ammonium Hydroxide – TWA 25ppm from NZ Workplace Exposure Standards. 2-Butoxy Ethanol – TWA-Ceil 25ppm from NZ Workplace Exposure Standards.	
BIOLOGICAL LIMITS	No information available.	
ENGINEERING MEASURES	Adequate ventilation should be provided so that exposure limits are not exceeded.	
PERSONAL PROTECTIVE EQUIPMENT	RESPIRATOR	Not deemed to present any risk.
	EYES	Use splash proof safety goggles that conform to AS1336/1337.
	HANDS	Any Gloves approved for chemical hazards that conform to AS2161.
	CLOTHING	Trousers, Long sleeved shirt and closed shoes.

9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE	Liquid
APPEARANCE	Clear
COLOUR	Blue
ODOUR	Ether-like
pH	7.5 – 8.5
DENSITY	No Data Available
VAPOUR PRESSURE	No Data Available
VAPOUR DENSITY	No Data Available
BOILING POINT	No Data Available
FREEZING POINT	No Data Available
SOLUBILITY	Complete in water
SHELF LIFE	2 years from manufacturing date (when stored as directed)

10. STABILITY AND REACTIVITY

GENERAL INFORMATION	Stable under normal conditions of use.
CHEMICAL STABILITY	The substance is stable under normal environmental and foreseeable conditions of temperature and pressure during storage and handling.
CONDITIONS TO AVOID	Avoid contact with foodstuffs. Do not combine part drums of the same product
MATERIALS TO AVOID	No information available.
HAZARDOUS DECOMPOSITION PRODUCTS	The packaging material may burn to emit noxious fumes. Combustion will generate carbon oxides.

SAFETY DATA SHEET

11. TOXICOLOGICAL INFORMATION

ORAL	Ammonium Hydroxide LD ₅₀ – >350mg/kg (Rat). CCID 2-Butoxy Ethanol LD ₅₀ – 1414mg/kg (Guinea Pig) OECD Guideline 401 Harmful if swallowed. Symptoms may include: Stomach complaints, burning feeling, nausea, vomiting
DERMAL	2-Butoxy Ethanol LD ₅₀ – >2000mg/kg (Guinea Pig).OECD Guideline 402 Harmful in contact with skin. Product is absorbed through the skin. Symptoms include: Redness.
INHALATION	Ammonium Hydroxide LC ₅₀ – 4.6mg/L (Mouse) RTECS 2-Butoxy Ethanol – LC ₅₀ – 3.1mg/L (Guinea Pig) OECD Guideline 403 High concentrations – Inhalation can cause pneumonia and/or pulmonary oedema, but only after signs of corrosive effects on the mucous membranes of the eyes and/or the upper respiratory tract. Symptoms include: Irritation, Sore throat, Cough, Dizziness, Drowsiness, Difficulty in breathing, Sleepiness, Unconsciousness.
EYE	This material can cause serious irritation to ocular tissue.
CARCINOGENICITY	No information available.
MUTAGENICITY	No information available.
REPRODUCTIVE	No information available.
TARGET ORGAN	No adverse effects were observed after repeated exposure in animal studies.
LONG TERM	No information available.

12. ECOLOGICAL INFORMATION

ECOTOXICITY	2-Butoxy Ethanol: LC ₅₀ (Fish, 96 h): 1474 mg/L (Oncorhynchus mykiss) (OECD Guideline 203) 2-Butoxy Ethanol: EC ₅₀ (Algae, 72 h): 911 mg/L (Pseudokirchneriella subcapitata) (OECD Guideline 201) 2-Butoxy Ethanol: EC ₅₀ (Daphnia magna, 48 h): 1550 mg/L (OECD Guideline 202) 2-Butoxy Ethanol: NOEC (Algae, 72 h): >280 mg/L (Pseudokirchneriella subcapitata) (OECD Guideline 201) 2-Butoxy Ethanol: NOEC (Daphnia magna, 21 d): >100 mg/L (OECD Guideline 211) Avoid contaminating waterways.
PERSISTENCE / DEGRADABILITY	Readily Biodegradable.
MOBILITY	High water solubility and mobility.
ENVIRONMENTAL FATE	Do not allow drainage into sewer, streams or storm water systems.
BIOACCUMULATION POTENTIAL	No information available.
ENVIRONMENTAL IMPACT	No information available.

SAFETY DATA SHEET

13. DISPOSAL CONSIDERATIONS

GENERAL INFORMATION	Dispose of in accordance with all local, regional and national regulations. All empty packaging should be disposed of in accordance with local, regional, and national regulations or recycled/reconditioned at an approved facility.
SPECIAL PRECAUTIONS FOR LANDFILL	Containers should be rinsed and disposed of in line with any requirements of the Resource Management Act for which approval should be sought from the Regional Authority.

14. TRANSPORT INFORMATION

LAND TRANSPORT NEW ZEALAND (NZS5433)

Not classified as a Dangerous Good by NZS5433:2012 for transport by Road and Rail

PROPER SHIPPING NAME	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.
UN NUMBER	No Data Available
CLASS	No Data Available
SUBSIDIARY RISK	No Data Available
PACKAGING GROUP	No Data Available
HAZCHEM	No Data Available
SPECIAL PROVISIONS	No Data Available

SEA TRANSPORT (IMDG)

Not classified as a Dangerous Good by the International Maritime Dangerous Good Code (IMDG) for transport by sea

PROPER SHIPPING NAME	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.
UN NUMBER	No Data Available
CLASS	No Data Available
SUBSIDIARY RISK	No Data Available
PACKAGING GROUP	No Data Available
HAZCHEM	No Data Available
EMS	No Data Available
MARINE POLLUTANT	No Data Available
SPECIAL PROVISIONS	No Data Available

AIR TRANSPORT (IATA)

Not classified as a Dangerous Good by the international Air Transport Association (IATA) for transport by air

PROPER SHIPPING NAME	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.
UN NUMBER	No Data Available
CLASS	No Data Available
SUBSIDIARY RISK	No Data Available
PACKAGING GROUP	No Data Available
HAZCHEM	No Data Available
EPG	No Data Available
SPECIAL PROVISIONS	No Data Available

15. REGULATORY INFORMATION

ENVIRONMENTAL PROTECTION AUTHORITY (NEW ZEALAND)

Hazardous Substances & New Organisms Act 1996

APPROVAL CODE	HSR002530 –Cleaning Products (Subsidiary Hazard) Group Standard 2006
HSNO CLASSIFICATIONS	6.3A, 6.4A
APPROVED HANDLER	Not Required
NZIOC	Listed

SAFETY DATA SHEET

16. OTHER INFORMATION

REVISION NUMBER 1 – New Issue
ISSUE DATE 6th September 2017

In any event the review and if necessary re-issue of an SDS shall be no longer than 5 years after the last date of issue.

KEY/LEGEND	AS1336/1337	Industrial Eye Protection – Metric Units (Standards Australia).
	AS1715/1716	Respiratory Protection Devices – Metric Units (Standards Australia).
	AS2161	Industrial Safety Gloves and Mittens (Standards Australia).
	CAS	Chemical Abstracts Service.
	EC ₅₀	Concentration which induces a response halfway between the baseline and maximum.
	EMS	IMDG Emergency Schedule.
	EPG	Emergency Procedures Guide.
	GHS	Globally Harmonised System.
	HSNO	Hazardous Substances and New Organisms.
	IMDG	International Maritime Dangerous Goods.
	LC ₅₀	Concentration required to kill half the members of a tested population after a specified duration.
	LD ₅₀	Dosage required to kill half the members of a tested population after a specified duration.
	NOEC	No Observed Effect Concentration.
	NZIOC	New Zealand Inventory of Chemicals.
	SDS	Safety Data Sheet.
	UN No.	UN Nations Number.
	WES-Ceiling	Concentration that should not be exceeded at any time during any part of the working day.

REFERENCES Workplace Exposure Standards-and Biological Exposure Indices – WorkSafe New Zealand.
TOXNET – ChemIDPlus Database.
IMDG Appendix B List of Marine Pollutants.
IMDG Emergency Fire and Spill Codes.
UN Recommendations on the Transport of Dangerous Goods Volume 1 (17th Edition) Part 3.

This SDS has been prepared from current technical data and summarises at the date of issue our best knowledge of the health and safety information of the product, and how to safely handle and use the product in the work place. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact the company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

This SDS may only be reproduced in full. Summaries or excerpts from this SDS may not contain all the relevant information and thus are not permitted.