

# UVStand™ Monitor Stand with UV Sanitization Compartment

Part Number: K55100WW | UPC Code: 0 85896 55100 3

Take a stand on sanitization.

When used as directed, the UVStand™ Monitor Stand with UV Sanitization Compartment safely, easily, and efficiently helps to sanitize keyboards, mice, trackballs, mobile phones, and other devices, while promoting healthy posture and optimal comfort. The spacious sanitization compartment accepts most full-sized keyboards in addition to other devices, and can be used to store desktop items when not sanitizing, freeing up desktop space. The fully-contained UV LEDs safely sanitize, eliminating up to 99.9% of bacteria and viruses on the top exposed surface within 10 minutes, without the use of chemicals, liquids, or wipes. Supports monitors up to 40 lbs. and also makes a perfect laptop stand, raising the laptop to optimal eye level. Complies with safety standards, including IEC/EN 62471 and ANSI IESNA RP 27. UL Listed. EPA Est. 98807-CHN-1

#### Features include:

- Extra large UV LED sanitization compartment
- Eliminates up to 99.9% of bacteria and viruses on exposed surfaces within 10 minutes
- Enclosed design keeps UV light contained
- Safety feature ensures operation only when door is completely closed

- Easy operation
- · No chemicals or liquids
- Supports monitors up to 40 lbs.
- · Makes a perfect laptop stand
- Complies with safety standards, including IEC/EN 62471 and ANSI IESNA RP 27
- UL Listed
- EPA Est. 98807-CHN-1



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2021 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k20-20188p



The Professionals' Choice™

### Kensington

## UVStand™ Monitor Stand with UV Sanitization Compartment

Part Number: K55100WW | UPC Code: 0 85896 55100 3



#### Spacious UV LED Sanitization/Storage Compartment

20" x 11" x 3.5" compartment safely, easily, and efficiently sanitizes keyboards, mice, trackballs, mobile phones, tablets and other devices. Can be used to store desktop items when not sanitizing, freeing up desktop space.



### Eliminates up to 99.9% of Bacteria and Viruses within 10 Minutes

When used as directed, fully-contained UV LEDs safely sanitize, eliminating up to 99.9% of bacteria and viruses on the top exposed surface within 10 minutes, without the use of chemicals, liquids, or wipes.



Safe, Easy Operation

Sanitizes at the push of a button, and will only operate when the compartment door is completely closed.



Supports Monitors up to 40 lbs.

While promoting healthy posture and optimal comfort.



#### Compliant

Meets or exceeds safety standards, including IEC/EN 62471 and ANSI IESNA RP 27. UL Listed. EPA Est. 98807-CHN-1

### Kensington

## UVStand™ Monitor Stand with UV Sanitization Compartment

Part Number: K55100WW | UPC Code: 0 85896 55100 3

| <b>UV LED</b> | Beads |
|---------------|-------|
|---------------|-------|

|                         | UV Wavelength                               | 265nm - 277nm  |
|-------------------------|---|--|
|                         | Life  | 1000hrs  |
| LED Indicator           |   |  |
|                         | Flash Blue                                  | Sanitization on-going  |
|                         | Solid BLue                                  | Sanitization cycle completed.  |
|                         | Flash Red                                   | Sanitization not working. Contact Kensington customer service for support.   |
|                         | Flash Red & Blue Alternately                | One or more UV LED damaged and can't reach full scale Sanitization. Contact Kensington customer service for support.       |
|                         | LED Off                                     | Power off, in stand-by mode, sanitization cycle interrupted and not complete, door is open or safety catch is not engaged. |
| Material Specifications |   |  |
|                         | Desktop                                     | MDF with PVC coating   |
|                         | Compartment                                 | SPCC+Plastic front and back frame+ aluminum plate+PCBA+UV lamp boards  |
|                         | Front Door                                  | SPCC   |
|                         | Cable                                       | PSU cable  |
| Product Dimensions      |   |  |
|                         | Unit Dimensions with Peripherals (like cap) | Width: 23.54in (598mm)<br>Depth: 11.61in (295mm)<br>Height: 4.96in (126mm)   |
|                         | Unit Weight                                 | 16.53lbs (7.5kg)   |
|                         | Unit Dimensions without Peripherals         | Width: 23.54in (598mm)<br>Depth: 11.61in (295mm)<br>Height: 4.96in (126mm)   |
|                         | Enclosure Color & Material                  | Black PC   |
|                         | Desktop Footprint                           | 273.3in² (1764cm²)   |
|                         |   |  |

### Kensington

## UVStand™ Monitor Stand with UV Sanitization Compartment

Part Number: K55100WW | UPC Code: 0 85896 55100 3

| Packaging Dim  | ancionc |
|----------------|---------|
| rackaeine Diin | CHOIDHS |

|                       | Packaging Style                          | B2B Packaging   |
|-----------------------|--|---|
|                       | Packaging Dimensions                     | Width: 27.17in (690mm)<br>Depth: 14.17in (360mm)<br>Height: 6.69in (170mm)  |
|                       | Packaging Weight                         | 23.03lbs (10.45kg)  |
|                       | Packaging Content                        | 1 x UVStand Monitor Stand 1 x Power supply unit with 5 power plugs for different regions 1 x User Manual 1 x Compliance Sheet 1 x Warranty Card |
|                       | Master Carton                            | 1 piece   |
| Weight Capacity       |  |   |
|                       | Weight Capacity                          | 40lbs   |
|                       | Maximum Monitor Support                  | 1 x 34in or 2 x 24in  |
| Power and Environm    | ental                                    |   |
|                       | Power Imaging (Active Power Consumption) | 9V/@1.1A  |
|                       | Power Standby                            | 9V@10mA   |
|                       | Power Adapter Rating                     | 100-240V; 0.6A Max / Output: 9.0V ,2.0A, 18.0W  |
|                       | Relative Humidity                        | 0% to 85%   |
|                       | Operating Temperature                    | 32 - 104°F (0 - 40°C)   |
|                       | Storage Temperature                      | -23 - 140°F (-30 - 60°C)  |
| Country of Origin, Re | gulatory, and Warranty                   |   |
|                       | Country of Origin                        | China   |
|                       | Warranty                                 | 2-year  |
|                       | Certifications & Compliance              | FCC, ICES, CE, UKCA, RCM, China RoHS. UL Listed   |



