

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: C-Tec Ocean Breeze Laundry Detergent

Other Names:

Product Use:

Restriction of Use:

Ocean Liquid Laundry
Laundry Liquid
Refer to Section 15

New Zealand Supplier: **2CARE PRODUCTS**

Address: 9 Donnor Place

Mt Wellington Auckland

Telephone: 0800 753 753 Fax: 09 574 5999

Emergency No: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 16 June 2022 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Cleaning Products (subsidiary) - HSR002530

Pictograms:



Signal Word: **DANGER**

GHS Classification and Category	HSNO Classification	Hazard Code	Hazard Statement
Skin irritation Cat. 2	6.3A	H315	Causes skin irritation.
Serious eye damage Cat. 1	8.3A	H318	Causes serious eye damage.
Hazardous to the aquatic environment chronic Cat. 3	9.1C	H412	Harmful to aquatic life with long lasting effects.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.

P310	Immediately call a POISON CENTER or doctor/physician.
P362	Take off contaminated clothing and wash before re-use.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Do not let this product enter the environment. Do not dispose of in
	waterways or sewers. Dispose of this material and its container as
	hazardous waste, via a licensed facility. See local council for
	disposal/recycling information.

Section 3. **Composition / Information on Hazardous Ingredients**

Ingredients	Wt%	CAS NUMBER.
Benzenesulphonic acid, C10-16-alkyl	<30%	68584-22-5
derivs		

This product when diluted/mixed may not require the same control measures as the neat product. See section 16 for more information. Check with your technical representative if in doubt.

Section 4. **First Aid Measures**

Routes of Exposure:

If in Eyes IMMEDIATELY flush eyes with copious amounts of water for at least 15

minutes while holding eyelids open. Take care not to rinse contaminated water into the non-affected eye. Immediately call a POISON CENTER or

doctor/physician.

If on Skin REMOVE contaminated clothing. IMMEDIATELY flush the contaminated skin

thoroughly with water for at least 15 minutes. If skin irritation occurs: Get

medical advice/ attention.

If Swallowed Do not induce vomiting. Rinse mouth. Never give anything to the mouth of

> an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

> remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if

not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Not applicable **Inhalation:** Not applicable

Skin: Causes skin irritation.

Eve: Causes severe eye damage.

Notes to Doctor: None known.

Product Name: C-Tec Ocean Laundry Liquid SDS Prepared by: 2 Care Products Date of SDS: 16 June 2022 Version 2

Safety measures: Potable water should be available to rinse eyes or skin. Provide eye baths

and safety showers.

Section 5.	Fire Fighting Measures	
------------	------------------------	--

Hazard Type	Non Flammable
Hazards from combustion	The product is non-combustible; however, the packaging material may burn to emit noxious fumes.
products	
Suitable	Use extinguishing media appropriate for surrounding fire.
Extinguishing	
media	
Precautions for	Wear positive pressure self-contained breathing apparatus (SCBA) and
firefighters and special protective	protective firefighting clothing (including Helmet, Coat, Trousers, Boots and Gloves and mask). DO NOT allow spillage or firefighting water to
clothing	reach waterways, drains or sewers. Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk.
HAZCHEM CODE	None allocated

Section 6.	Accidental Release Measures	
------------	-----------------------------	--

General Response Procedures:

Clear area of all unprotected personnel. Allow only trained personnel wearing appropriate protective equipment to be involved in spill response. Contain spill, avoid accidents, clean up immediately. Increase ventilation. Avoid walking through spilled product as it is slippery when spilt. Use clean, non-sparking tools and equipment. Shut off all possible sources of ignition. **CAUTION:** Contact with metals may liberate hydrogen gas which is extremely flammable.

Environmental Precautionary Measures:

Prevent run off into drains and waterways. If contamination of sewers or waterways has occurred advise the Environmental Protection Authority and/or your local Waste Authority.

Clean Up Procedures:

Stop leak if safe to do so. Contain spill immediately. Mechanically collect as much of the spill as possible. Absorb with sand, earth or clay. Transfer to suitable, labelled containers and dispose of promptly as hazardous waste. Spill on areas other than pavement (e.g. dirt and sand) may be handled by removing the affected soils and placing in approved containers. Wash area down with water and collect washings for disposal. Dispose as per Section 13.

Castian 7	Handling and Change
Section 7.	Handling and Storage

Precautions for Handling:

- Read label before use.
- Wash hands thoroughly after handling.
- Wear protective clothing as detailed in Section 8.
- Use in well ventilated area.
- Ensure an eye bath is available and ready for use.
- Observe good personal hygiene practices and recommended procedures.
- Avoid contact with eyes, skin and clothing.
- Do not smoke, eat or drink when handling product.
- When used in its various applications, the product must be prevented from coming into uncontrolled direct contact with other products such as acids and metals.
- Always remove contaminated clothing and wash hands before eating, drinking, smoking or using the toilet.
- Wash contaminated clothing and other protective equipment before storage or re-use.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- · Keep out of reach of children.

- Store upright in the original container in a cool, dry, well-ventilated protected area out of direct sunlight and foodstuffs.
- Keep containers tightly closed when not in use.
- Inspect regularly for deficiencies such as damage or leaks.
- Do not combine part containers of the same product.
- The floor must be waterproof and anti-slip.
- Emergency showers and eve-washes must be available.
- Store in original packaging as approved by manufacturer.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have known exposure limits.

Workplace Exposure Standard - Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard - Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Adequate ventilation should be provided so that exposure limits are not exceeded.

Personal Protection Equipment



Eyes	Use splash proof safety goggles, and/or if necessary an appropriate full face shield that conform to AS1336/1337.	
Hands	Any Gloves approved for chemical hazards that conform to AS2161.	
Skin	Trousers, Long sleeved shirt and closed shoes.	
Respiratory	Not required.	

Section 9	Physical and Chemical Properties
-----------	----------------------------------

Appearance	Liquid	
Colour	Torquiose	
Odour	Ocean	
Odour Threshold	Not available	
pH	10.5 - 11	
Boiling Point	Not available	
Melting Point	Not available	
Freezing Point	Not available	
Flash Point	Not available	
Flammability	Not available	
Upper and Lower	Not available	
Explosive Limits		
Vapour Pressure	Not available	
Vapour Density	Not available	
Specific Gravity	Not available	
Water Solubility	Complete in water	

Product Name: C-Tec Ocean Laundry Liquid SDS Prepared by: 2 Care Products Date of SDS: 16 June 2022

Version 2

Partition Coefficient:	Not available	
Auto-ignition	Not available	
Temperature		
Decomposition	Not available	
Temperature		
Kinematic Viscosity	Not available	
Particle Characteristics	Not available	
Shelf life	2 years from manufacturing date (when stored as directed)	

Section 10. Stability and Reactivity

Stability of Substance	The substance is stable under normal environmental and foreseeable conditions of temperature and pressure during storage and handling.	
Possibility of hazardous No data available. reactions		
Conditions to Avoid Avoid contact with foodstuffs. Do not combine part same product.		
Incompatible Materials	None known.	
Hazardous Decomposition Products	The packaging material may burn to emit noxious fumes.	

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable. May cause temporary nausea and discomfort. Seek	
	medical advice if symtoms persist.	
Dermal	Not applicable.	
Inhalation	Not applicable. May cause temporary discomfort.	
Eye	Causes severe eye damage.	
Skin	Causes skin irritation.	

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive	Not applicable.	
Toxicity		
Germ Cell	Not applicable.	
Mutagenicity		
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

Section 12. Ecotoxicological Information

Harmful to aquatic life with long lasting effects.

Product:	
Persistence and degradability	Readily Biodegradable.
Bioaccumulation	No data available.
Mobility High water solubility and mobility.	
Other adverse effects	No data available.

Section 13. Disposal Considerations

Disposal Method:

Dispose of in accordance with all local, regional and national regulations. All empty packaging

should be disposed of in accordance with local, regional, and national regulations or recycled/reconditioned at an approved facility.

Precautions or methods to avoid: Containers should be rinsed and disposed of in line with any requirements of the Resource Management Act for which approval should be sought from the Regional Authority.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Cleaning Products (subsidiary) - HSR002530

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000L
Emergency Response Plan	1000L
Secondary Containment	1000L
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

Cat Category

EC50 Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2020 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This SDS has been prepared from current technical data and summarises at the date of issue our best knowledge of the health and safety information of the product, and how to safely handle and use the product in the work place. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact the company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

This SDS may only be reproduced in full. Summaries or excerpts from this SDS may not contain all the relevant information and thus are not permitted.

Issue Date: 16 June 2022 Review Date: 16 June 2027